



LogiLink®

USB-C Sync & Charging Cable

USB-C male to USB-C male

Art. No.: CU0339–CU0354



Premium nylon-braided USB-C cable for syncing and charging USB-C smartphone and tablet. High-quality cables protect your devices free from damage. USB-C to USB-C cable enables the cable to provide the fastest possible charging speed.

Features:

- » Connect USB-C smartphone and tablet with USB-C charger or computer
- » Data transfer rate up to 480 Mbps and power supply up to 60 W (20 V/3 A)
- » Durable nylon braided cable ensures maximum durability and flexibility
- » Various cable colors available to match your devices
- » Compatible with all USB-C devices
- » Cable length available from 0.5–1.5 m



Premium braided cable in White, Pink, Green, Blue and Yellow



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

Made in China

Specifications:

Connection 1	USB-C male
Connection 2	USB-C male
Cable Material	Nylon braided cable
Max. Current Capacity	3 A
Max. Data Transfer Rate	480 Mbps

Art-No.	Cable Color	Cable Length	EAN Code
CU0339	White	0.15 m	4052792084764
CU0340	White	0.5 m	4052792077933
CU0341	White	1 m	4052792077940
CU0342	White	1.5 m	4052792077957

Art-No.	Cable Color	Cable Length	EAN Code
CU0343	Pink	0.5 m	4052792077964
CU0344	Pink	1 m	4052792077971
CU0345	Pink	1.5 m	4052792077988

Art-No.	Cable Color	Cable Length	EAN Code
CU0346	Green	0.5 m	4052792077995
CU0347	Green	1 m	4052792078008
CU0348	Green	1.5 m	4052792078015

Art-No.	Cable Color	Cable Length	EAN Code
CU0349	Blue	0.5 m	4052792078022
CU0350	Blue	1 m	4052792078039
CU0351	Blue	1.5 m	4052792078046

Art-No.	Cable Color	Cable Length	EAN Code
CU0352	Yellow	0.5 m	4052792078053
CU0353	Yellow	1 m	4052792078060
CU0354	Yellow	1.5 m	4052792078077



Package Contents:

- » 1 x USB-C Sync & Charging Cable
- » 1 x User Manual



Package Information:

Art-No.	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
CU0339	55 x 16 x 170 mm	0.019 kg	380 x 310 x 295 mm	200 pcs	3.9 kg
CU0340	55 x 16 x 170 mm	0.026 kg	380 x 310 x 295 mm	200 pcs	5.8 kg
CU0341	55 x 16 x 170 mm	0.035 kg	380 x 310 x 295 mm	200 pcs	7.6 kg
CU0342	55 x 16 x 170 mm	0.047 kg	380 x 310 x 295 mm	200 pcs	9.8 kg
CU0343	55 x 16 x 170 mm	0.026 kg	380 x 310 x 295 mm	200 pcs	5.8 kg
CU0344	55 x 16 x 170 mm	0.035 kg	380 x 310 x 295 mm	200 pcs	7.6 kg
CU0345	55 x 16 x 170 mm	0.047 kg	380 x 310 x 295 mm	200 pcs	9.8 kg
CU0346	55 x 16 x 170 mm	0.026 kg	380 x 310 x 295 mm	200 pcs	5.8 kg
CU0347	55 x 16 x 170 mm	0.035 kg	380 x 310 x 295 mm	200 pcs	7.6 kg
CU0348	55 x 16 x 170 mm	0.047 kg	380 x 310 x 295 mm	200 pcs	9.8 kg
CU0349	55 x 16 x 170 mm	0.026 kg	380 x 310 x 295 mm	200 pcs	5.8 kg
CU0350	55 x 16 x 170 mm	0.035 kg	380 x 310 x 295 mm	200 pcs	7.6 kg
CU0351	55 x 16 x 170 mm	0.047 kg	380 x 310 x 295 mm	200 pcs	9.8 kg
CU0352	55 x 16 x 170 mm	0.026 kg	380 x 310 x 295 mm	200 pcs	5.8 kg
CU0353	55 x 16 x 170 mm	0.035 kg	380 x 310 x 295 mm	200 pcs	7.6 kg
CU0354	55 x 16 x 170 mm	0.047 kg	380 x 310 x 295 mm	200 pcs	9.8 kg